# CANCER IN SOUTH DAKOTA

A preliminary report of cancer among South Dakotans in 2022



April 2024



Photo by Travel South Dakota

The South Dakota Cancer Registry is funded with a grant from the Centers for Disease Control and Prevention – grant number DP22-2202.

#### **Overview**

This report offers numbers and rates of newly diagnosed malignant cancer cases among South Dakota residents during 2022. The data in this report is considered preliminary and is current as of February 14<sup>th</sup>, 2024. After the majority of the 2022 cancer cases are reported, the South Dakota Cancer Registry (SDCR) will release the final annual cancer report. The final report will present more complete data on cancer incidence among South Dakotans. The report will be posted at https://www.getscreenedsd.org/sdcr. Data on South Dakota cancer deaths for 2022 is also available in the South Dakota Vital Statistics: State and County Comparison of Leading Health Indicators, 2022.

On the following pages, Table 1 shows the number of newly diagnosed cases and the age-adjusted incidence rates for all cancers combined, by primary site, and sex for the year 2022. During that year, there has been a total of 3,259 invasive and *in-situ* bladder cancers diagnosed among South Dakota residents. The age-adjusted rate for these cases is 289.8 per 100,000 population. By primary site, cancers of the female breast, lung, prostate, colorectal (colon and rectum), and bladder accounted for 1,846 diagnoses, more than half (56.6%) of all new malignancies. By sex, female breast cancer was the most frequently diagnosed cancer. It accounted for 34.4% of all new cases among females, followed by lung cancer and colorectal cancer. Among males, cancer of the prostate occurred most frequently, accounting for 25.6% of newly diagnosed malignancies, followed by lung cancer and colorectal cancer.

Table 2 presents the number of cases diagnosed in 2022 by the SEER (Surveillance, Epidemiology, and End Results Program) Summary Stage. This table reflects *in-situ* cases that are not used to calculate incidence rates but are collected by the SDCR. Summary staging categorizes how far a cancer has spread from its point of origin. Summary staging uses all information available in the medical record by using a combination of the most precise clinical and pathological documentation based on the extent of the disease.

This report is available online at <u>https://www.getscreened.sd.org/sdcr</u>

### Table 1: Age-Adjusted Incidence Rates by Site and SexSouth Dakota, 2022 (Preliminary)

	TOTAL		MALE		FEMALE	
	Cases	Age-	Cases	Age-	Cases	Age-
	Cases	Adjusted Rate	Cases	Adjusted Rate	Cases	Adjusted Rate
All Sites	3,259	289.8	1,602	286.7	1,657	298.6
Bladder	120	10.3	93	17.5	27	4.4
Kidney and Renal Pelvis	94	8.8	58	11.2	36	6.5
Ureter	2	0.1	1	0.1	1	0.1
Other Urinary Organs	4	0.4	4	1.0	0	0.0
Bones and Joints	5	0.6	4	1.0	1	0.1
Soft Tissue (Including Heart)	18	1.6	8	1.6	10	1.7
Brain and Nervous System	27	2.6	13	2.6	14	2.6
Eye and Orbit	1	0.1	1	0.1	0	0.0
, Breast, Female	570	105.4			570	105.4
Cervix Uteri	16	3.1			16	3.1
Corpus and Uterus, NOS	123	22.4			123	22.4
Ovary	30	5.5			30	5.5
Vagina	4	0.7			4	0.7
Vulva	17	2.9			17	2.9
Other Female Genital Organs	10	1.4			10	1.4
Breast, Male	3	0.6	3	0.6		I
Penis	1	0.2	1	0.2		
Prostate	410	67.5	410	67.5		
Testis	12	2.7	12	2.7		
Oral Cavity and Pharynx	81	7.3	56	10.1	25	4.5
Anus, Anal Canal and Anorectum	18	1.7	5	1.1	13	2.5
Colorectal	350	32.5	184	34.3	166	30.3
Esophagus	44	4.0	31	6.1	13	2.1
Gallbladder	5	0.4	3	0.5	2	0.3
Liver and Bile Ducts	32	2.5	19	2.9	13	2.2
Other Biliary	13	1.2	9	1.9	4	0.6
Pancreas	97	8.5	52	9.4	45	7.5
Peritoneum, Omentum and Mesentery	6	0.5	0	0.0	6	1.0
Retroperitoneum	3	0.3	0	0.0	3	0.5
Small Intestine	26	2.0	18	3.0	8	1.2
Stomach	37	3.1	28	4.9	9	1.7
Larynx	21	1.7	16	2.9	5	0.7
Lung and Bronchus	396	32.6	206	34.7	190	30.7
Mesothelioma	11	1.1	6	1.4	5	0.8
Nose, Nasal Cavity and Middle Ear	2	0.2	1	0.1	1	0.2
Melanoma of the Skin	195	18.3	116	22.1	79	15.8
Other Skin	6	0.5	2	0.5	4	0.6
Hodgkin's Lymphoma	16	1.8	9	1.8	7	1.8
Non-Hodgkin's Lymphoma	116	10.5	72	13.1	44	7.9
Leukemia	95	8.9	61	11.6	34	6.3
Myeloma	44	3.4	25	3.9	19	3.0
Myeloproliferative and Myelodysplastic	34	2.9	20	3.8	14	2.5
Thyroid	77	8.2	20	4.3	57	12.3
Other Endocrine	4	0.4	3	0.6	1	0.2
Other Sites	63	5.2	32	5.6	31	4.6

Rates **are** per 100,000 persons and **are** age-adjusted to the 2000 US standard population and the 2022 SD estimated population. Source: South Dakota Department of Health

## Table 2: Incidence Counts by SEER Summary Stage and Primary SiteSouth Dakota, 2022 (Preliminary)

Primary Site	In Situ	Localized	Regional	Distant	Unstaged/ Unknown	Total
Total	467	1,586	744	801	73	3,671
Bladder	55	47	10	5	3	120
Kidney and Renal Pelvis	0	67	6	17	4	94
Ureter	2	1	1	0	0	4
Other Urinary Organs	2	0	1	2	1	6
Bones and Joints	0	3	1	1	0	5
Soft Tissue (Including Heart)	0	9	6	3	0	18
Brain and Nervous System	0	22	2	0	3	27
Eye and Orbit	0	1	0	0	0	1
Breast, Female	129	401	133	35	1	699
Cervix Uteri	0	7	7	2	0	16
Corpus and Uterus, NOS	5	92	21	9	1	128
Ovary	1	5	9	16	0	31
Vagina	3	2	2	0	0	7
Vulva	16	12	4	1	0	33
Other Female Genital Organs	1	1	2	6	1	11
Breast, Male	1	2	1	0	0	4
Penis	1	0	1	0	0	2
Prostate	0	295	73	39	3	410
Testis	0	9	2	1	0	12
Oral Cavity & Pharynx	15	29	46	6	0	96
Anus, Anal Canal and Anorectum	3	9	7	2	0	21
Colorectal	13	106	150	84	10	363
Esophagus	1	7	20	16	1	45
Gallbladder	0	0	0	5	- 0	5
Liver and Bile Ducts	0	16	3	13	0	32
Other Biliary	0	6	5	2	0	13
Pancreas	0	21	26	50	0	97
Peritoneum, Omentum and Mesentery	0	1	3	2	0	6
Retroperitoneum	0	2	1	0	0	3
Small Intestine	0	- 8	11	5	2	26
Stomach	1	11	8	15	- 3	38
Larynx	2	13	6	2	0	23
Lung and Bronchus	1	130	87	173	6	397
Mesothelioma	0	3	4	3	1	11
Nose, Nasal Cavity and Middle Ear	0	2	0	0	0	2
Melanomas of the Skin	215	166	27	2	0	410
Other Skin	0	4	1	1	0	6
Hodgkin's Lymphoma	0	0	7	9	0	16
Non-Hodgkin's Lymphoma	0	25	20	70	1	116
Leukemia	0	0	0	94	1	95
Multiple Myeloma	0	0	0	44	0	44
Myeloproliferative and Myelodysplastic	0	0	0	34	0	34
Thyroid	0	49	27	1	0	77
Other Endocrine	0	49 2	1	1	0	
Other Sites	0		2	30	31	4
Other Sites Source: South Dakota Department of Health	U	0	2	30	31	63

Source: South Dakota Department of Health

### Appendix A: SEER Incidence Site Analysis Categories

Site Group	ICD-O-3 Site	ICD-O-3 Histology (Type)	Recode
Oral Cavity and Pharynx			
Lip	C000-C009	excluding 9050-9055, 9140, 9590-9992	20010
Tongue	C019-C029		20020
Salivary Gland	C079-C089		20030
Floor of Mouth	C040-C049		20040
Gum and Other Mouth	C030-C039, C050-C059, C060-		20050
	C069		
Nasopharynx	C110-C119		20060
Tonsil	C090-C099		20070
Oropharynx	C100-C109		20080
Hypopharynx	C129, C130-C139		20090
Other Oral Cavity and Pharynx	C140, C142-C148		20100
Digestive System			
Esophagus	C150-C159	excluding 9050-9055, 9140, 9590-9992	21010
Stomach	C160-C169		21020
Small Intestine	C170-C179		21030
Colon and Rectum			
Colon Excluding Rectum			
Cecum	C180	excluding 9050-9055, 9140, 9590-9992	21041
Appendix	C181		21042
Ascending Colon	C182		21043
Hepatic Flexure	C183		21044
Transverse Colon	C184		21045
Splenic Flexure	C185		21046
Descending Colon	C186		21047
Sigmoid Colon	C187		21048
Large Intestine, NOS	C188-C189, C260		21049
Rectum and Rectosigmoid Junction			
Rectosigmoid Junction	C199	excluding 9050-9055, 9140, 9590-9992	21051
Rectum	C209		21052
Anus, Anal Canal and Anorectum	C210-C212, C218		21060
Liver and Intrahepatic Bile Duct			
Liver	C220	excluding 9050-9055, 9140, 9590-9992	21071
Intrahepatic Bile Duct	C221		21072
Gallbladder	C239		21080
Other Biliary	C240-C249		21090
Pancreas	C250-C259		21100
Retroperitoneum	C480	1	21110
Peritoneum, Omentum and Mesentery		1	21120
Other Digestive Organs	C268-C269, C488	1	21130
Respiratory System			
Nose, Nasal Cavity and Middle Ear	C300-C301, C310-C319	excluding 9050-9055, 9140, 9590-9992	22010
Larynx	C320-C329		22010
Lung and Bronchus	C340-C349	1	22020
Pleura	C384	1	22050
Trachea, Mediastinum and	C339, C381-C383, C388, C390,	1	22050
Other Respiratory Organs	C398, C399		-2000

### Appendix A: SEER Incidence Site Analysis Categories (continued)

Bones and Joints	C400-C419	excluding 9050-9055, 9140, 9590-9992	23000	
Soft Tissue Including Heart	C380, C470-C479, C490-C499	excluding 9050-9055, 9140, 9590-9992	24000	
Skin Excluding Basal And Squamous				
Melanoma of the Skin	C440-C449	8720-8790	25010	
Other Non-Epithelial Skin	C440-C449	excluding 8000-8005, 8010-8046, 8050- 8084, 8090-8110, 8720-8790, 9050-9055, 9140, 9590-9992	25020	
Breast	C500-C509	excluding 9050-9055, 9140, 9590-9992	26000	
Female Genital System				
Cervix Uteri	C530-C539	excluding 9050-9055, 9140, 9590-9992	27010	
Corpus and Uterus, NOS				
Corpus Uteri	C540-C549	excluding 9050-9055, 9140, 9590-9992	27020	
Uterus, NOS	C559		27030	
Ovary	C569		27040	
Vagina	C529		27050	
Vulva	C510-C519		27060	
Other Female Genital Organs	C570-C589		27070	
Male Genital System				
Prostate	C619	excluding 9050-9055, 9140, 9590-9992	28010	
Testis	C620-C629		28020	
Penis	C600-C609		28030	
Other Male Genital Organs	C630-C639		28040	
Urinary System				
Urinary Bladder	C670-C679	excluding 9050-9055, 9140, 9590-9992	29010	
Kidney and Renal Pelvis	C649, C659		29020	
Ureter	C669		29030	
Other Urinary Organs	C680-C689		29040	
Eye and Orbit	C690-C699	excluding 9050-9055, 9140, 9590-9992	30000	
Brain and Other Nervous System				
Brain	C710-C719	excluding 9050-9055, 9140, 9590-9992	31010	
Cranial Nerves Other Nervous	C710-C719	9530-9539	31040	
System	C700-C709, C720-C729	excluding 9050-9055, 9140, 9590-9992		
Endocrine System				
Thyroid	C739	excluding 9050-9055, 9140, 9590-9992	32010	
Other Endocrine Including Thymus	C379, C740-C749, C750-C759		32020	

### Appendix A: SEER Incidence Site Analysis Categories (continued)

Lymphoma			
Hodgkin's Lymphoma			
Hodgkin's - Nodal	C024, C098-C099, C111, C142, C379, C422, C770-C779	9650-9667	33011
Hodgkin's - Extranodal	All other sites	1	33012
Non-Hodgkin's Lymphoma (NHL)			
NHL - Nodal	C024, C098,C099, C111,C142, C379,C422, C770-C779	9590-9597, 9670-9671, 9673, 9675, 9678- 9680, 9684, 9687-9691, 9695, 9698-9702, 9705, 9708-9709, 9712, 9714-9719, 9724- 9729, 9735, 9737-9738, 9811-9818, 9823, 9827, 9837	33041
NHL - Extranodal	All sites except C024, C098-C099, C111, C142, C379, C422, C770-C779 All sites except C024, C098-C099, C111, C142, C379, C420-C422, C424, C770-C779	9590-9597, 9670-9671, 9673, 9675, 9678- 9680, 9684, 9687, 9688, 9689-9691, 9695, 9698-9702, 9705, 9708-9709, 9712, 9714- 9719, 9724-9729, 9735, 9737, 9738 9811-9818, 9823, 9827, 9837	33042
Myeloma		9731-9132, 9734	34000
Leukemia			
Lymphocytic Leukemia			
Acute Lymphocytic Leukemia	C420, C421, C424	9826, 9835-9836 9811-9818, 9837	35011
Chronic Lymphocytic Leukemia	C420, C421, C424	9823	
Other Lymphocytic Leukemia		9820, 9832-9834, 9940	35013
Myeloid and Monocytic Leukemia			
Acute Myeloid Leukemia		9840, 9861, 9865-9867, 9869, 9871-9874, 9895-9897, 9898, 9910-9911, 9920	35021
Acute Monocytic Leukemia		9891	35031
Chronic Myeloid Leukemia		9863, 9875, 9876, 9945, 9946	35022
Other Myeloid/Monocytic Leukemia		9860, 9930	35023
Other Leukemia			
Other Acute Leukemia		9801, 9805-9809, 9931	35041
Aleukemic, Subleukemic and NOS		9733, 9742, 9800, 9831, 9870, 9948, 9963, 9964	35043
	C420, C421, C424	9827	
Mesothelioma		9050-9055	36010
Kaposi Sarcoma		9140	36020
Miscellaneous	C760-C768, C809 C420-C424	9740-9741, 9750-9769, 9950, 9960-9962, 9965-9967, 9970-9971, 9975, 9980, 9982- 9987, 9989, 9991-9992	
	C420-C424 C770-C779	excluding 9050-9055, 9140, 9590-9992	
Invalid	Site or histology code not within valid rar	nge or site code not found in this table	99999

Source: <u>http://seer.cancer.gov/siterecode</u>